Author Index

Aguilar, M. I., see Fang, F. W. 599(1992)163
Ahmed, F. and Modrek, B.
Biosep-SEC-S high-performance size-exclusion chromatographic columns for proteins and peptides 599(1992)25
Ang, S.-G. and Wong, V. W. T.
Chromatographic analysis of low-molecular-mass copper-binding ligands from the crab species *Scylla serrata* and *Portunus pelagicus* 599(1992)21
Bao, J., see Towns, J. K. 599(1992)227
Bergot, B. J. and Egan, W.
Separation of synthetic phosphorothioate oligodeoxynucleotides from their oxygenated (phosphodiester) defect species by strong-anion-exchange high-performance liquid chromatography 599(1992)35
Bonn, G. K., see Huber, C. G. 599(1992)113
Bullock, J., see Snider, J. 599(1992)141
Camagna, M., see Tarditi, L. 599(1992)13
Camoin, L., see Dandeu, J.-P. 599(1992)105
Chabanet, C. and Yvon, M.
Prediction of peptide retention time in reversed-phase high-performance liquid chromatography 599(1992)211
Chang, X., see Geng, X. 599(1992)185
Cheli, P. J., see Phillips, D. J. 599(1992)239
Cohen, K. A., see Palladino, D. E. H. 599(1992)3
Cox, G. B.
Influence of operating parameters on the preparative gradient elution chromatography of insulins 599(1992)195
Crimmins, D. L. and Thoma, R. S.
Chromatographic analysis of tropomyosins from rabbit skeletal, chicken gizzard and earthworm muscle 599(1992)51
Cysewski, P., see Lemque, R. 599(1992)255
Dandeu, J.-P., Rabillon, J., Lux, M., David, B., Guillaume, J.-L. and Camoin, L.
Isolation of *Der pI*, the *Dermatophagoides pteronyssinus* major mite allergen, from a crude mite culture extract, purification by ion-chromatography, and comparison between the material obtained and a cDNA-coded *Der pI* 599(1992)105
David, B., see Dandeu, J.-P. 599(1992)105
DeMonte, L. B., see Tarditi, L. 599(1992)13
Dion, D. M., see Phillips, D. J. 599(1992)239
Dutta, P. K., Shanley, M. and O'Donovan, G. A.
Monitoring the accumulation of nucleoside triphosphates by high-performance liquid chromatography 599(1992)137
Egan, W., see Bergot, B. J. 599(1992)35
Fang, F. W., Aguilar, M. I. and Hearn, M. T. W.
High-performance liquid chromatography of amino acids, peptides and proteins. CXX. Evaluation of bandwidth behaviour of proteins chromatographed on tentacle-type anion exchangers 599(1992)163
Feijlbrief, M., see Welling, G. W. 599(1992)157
Geng, X. and Chang, X.
High-performance hydrophobic interaction chromatography as a tool for protein refolding 599(1992)185
Guillaume, J.-L., see Dandeu, J.-P. 599(1992)105
Hanson, M., Unger, K. K., Mant, C. T. and Hodges, R. S.
Polymer-coated reversed-phase packings with controlled hydrophobic properties. I. Effect on the selectivity of protein separations 599(1992)65
Hanson, M., Unger, K. K., Mant, C. T. and Hodges, R. S.
Polymer-coated reversed-phase packings with controlled hydrophobic properties. II. Effect on the selectivity of peptide separations 599(1992)77
Hearn, M. T. W., see Fang, F. W. 599(1992)163
Hearn, M. T. W., see Zachariou, M. 599(1992)171
Hessing, M., Van Schijndel, H. B., Van Grunsven, W. M. J., Wolf, H. and Middeldorp, J. M.
Purification and quantification of recombinant Epstein–Barr viral glycoproteins gp350/220 from Chinese hamster ovary cells 599(1992)267
Hiemstra, Y., see Welling, G. W. 599(1992)157
Hodgdon, H. L., see Phillips, D. J. 599(1992)239
Hodges, R. S., see Hanson, M. 599(1992)65
Hodges, R. S., see Hanson, M. 599(1992)77
House, R. M., see Palladino, D. E. H. 599(1992)3
Huber, C. G., Oefner, P. J. and Bonn, G. K.
High-performance liquid chromatographic separation of detritylated oligonucleotides on highly cross-linked poly-(styrene–divinylbenzene) particles 599(1992)113
Jaulmes, A., see Lemque, R. 599(1992)255
Jones, A. T. and Roberts, N. B.
Peptide maps of five human pepsin isoenzymes and other aspartic proteinases 599(1992)179
Kårsnäs, P. and Lindblom, T.
Characterization of hydrophobic interaction and hydrophobic interaction chromatography media by multivariate analysis 599(1992)131
Lemque, R., Jaulmes, A., Sébille, B., Vidal-Madjar, C. and Cysewski, P.
Study of the adsorption of self-associating proteins on an anion exchanger. Application to the chromatography of β-lactoglobulin B 599(1992)255
Letarte, M., see Tarditi, L. 599(1992)13
Liapis, A. I. and McCoy, M. A.
Theory of perfusion chromatography 599(1992)87
Lindblom, T., see Kårsnäs, P. 599(1992)131
Lux, M., see Dandeu, J.-P. 599(1992)105
Malavasi, F., see Tarditi, L. 599(1992)13
Mant, C. T., see Hanson, M. 599(1992)65
Mant, C. T., see Hanson, M. 599(1992)77
Mariani, M., see Tarditi, L. 599(1992)13
McCoy, M. A., see Liapis, A. I. 599(1992)87
Middeldorp, J. M., see Hessing, M. 599(1992)267
Modrek, B., see Ahmed, F. 599(1992)25

Moritz, R. L. and Simpson, R. J.
Application of capillary reversed-phase high-performance liquid chromatography to high-sensitivity protein sequence analysis 599(1992)119
Neville, C., see Snider, J. 599(1992)141
O'Donovan, G. A., see Dutta, P. K. 599(1992)137
Oefner, P. J., see Huber, C. G. 599(1992)113
Örvell, C., see Welling, G. W. 599(1992)157
Österlund, B. R.
Foreword 599(1992)1
Otvos, Jr., L., Urge, L. and Thurin, J.
Influence of different N- and O-linked carbohydrates on the retention times of synthetic peptides in reversed-phase high-performance liquid chromatography 599(1992)43
Palladino, D. E. H., House, R. M. and Cohen, K. A.
Measurement of amino acid compositions of glycoprotein systems by gas-phase hydrolysis and reversed-phase high-performance liquid chromatography 599(1992)3
Parisi, A., see Tarditi, L. 599(1992)13
Phillips, D. J., Cheli, P. J., Dion, D. M., Hodgdon, H. L., Pomfret, A. M. and San Souci, B. R.
Schemes for efficient protein purification on a family of polymeric ion exchangers in glass columns 599(1992)239
Pomfret, A. M., see Phillips, D. J. 599(1992)239
Rabillon, J., see Dandeu, J.-P. 599(1992)105
Regnier, F. E., see Towns, J. K. 599(1992)227
Robben, A. J. P. M., see Visser, S. 599(1992)205
Roberts, N. B., see Jones, A. T. 599(1992)179
San Souci, B. R., see Phillips, D. J. 599(1992)239
Sébille, B., see Lemque, R. 599(1992)255
Shanley, M., see Dutta, P. K. 599(1992)137
Simpson, R. J., see Moritz, R. L. 599(1992)119
Slangen, C. J., see Visser, S. 599(1992)205
Snider, J., Neville, C., Yuan, L.-C. and Bullock, J.
Characterization of the heterogeneity of polyethylene glycol-modified superoxide dismutase by chromatographic and electrophoretic techniques 599(1992)141
Tarditi, L., Camagna, M., Parisi, A., Vassarotto, C., DeMonte, L. B., Letarte, M., Malavasi, F. and Mariani, M.
Selective high-performance liquid chromatographic purification of bispecific monoclonal antibodies 599(1992)13
Thoma, R. S., see Crimmins, D. L. 599(1992)51
Thurin, J., see Otvos, Jr., L. 599(1992)43
Towns, J. K., Bao, J. and Regnier, F. E.
Synthesis and evaluation of epoxy polymer coatings for the analysis of proteins by capillary zone electrophoresis 599(1992)227
Unger, K. K., see Hanson, M. 599(1992)65
Unger, K. K., see Hanson, M. 599(1992)77
Urge, L., see Otvos, Jr., L. 599(1992)43
Van Ede, J., see Welling, G. W. 599(1992)157
Van Grunsven, W. M. J., see Hessing, M. 599(1992)267
Van Schijndel, H. B., see Hessing, M. 599(1992)267
Vassarotto, C., see Tarditi, L. 599(1992)13
Vidal-Madjar, C., see Lemque, R. 599(1992)255
Visser, S., Slangen, C. J. and Robben, A. J. P. M.
Determination of molecular mass distributions of whey protein hydrolysates by high-performance size-exclusion chromatography 599(1992)205
Welling, G. W., Hiemstra, Y., Feijlbrief, M., Örvell, C., Van Ede, J. and Welling-Wester, S.
Comparison of detergents for extraction and ion-exchange high-performance liquid chromatography of Sendai virus membrane proteins 599(1992)157
Welling-Wester, S., see Welling, G. W. 599(1992)157
Wolf, H., see Hessing, M. 599(1992)267
Wong, V. W. T., see Ang, S.-G. 599(1992)21
Yuan, L.-C., see Snider, J. 599(1992)141
Yvon, M., see Chabanet, C. 599(1992)211
Zachariou, M. and Hearn, M. T. W.
High-performance liquid chromatography of amino acids, peptides and proteins. CXXI. 8-Hydroxyquinoline–metal chelate chromatographic support: an additional mode of selectivity in immobilized-metal affinity chromatography 599(1992)171